




True Aluminum Night Blinds

**SAVINGS UP TO
40%**


Night Blinds – OPAL / ISAL Series

REF STORE Night Blind take energy savings to the next level. Our patented True Aluminum Fabric keeps the heat out And the cold in during non-operational hours.




Night Blinds Features:

- ▶ SNAP back resistant speed reducer
- ▶ Anti-bacterial aluminium fabric
- ▶ Easy Installation(magnet or clip)
- ▶ Savings up to 40% when in use
- ▶ Approved and recommended by major OEM's



Clip//Easy & Safety installation



Strong magnets eliminate need of holes and screws




Optional magnets the hand-rail instead of a usual hook

Motorized Night Blinds

**REF STORE Electric Night Blinds
Save Energy Automatically!**




REF STORE Motor(AC100V~240V/DC 24V)



Special Linker



Battery Back-up System



Special Linker 45,90 Degree Available

Features:

- ▶ AC 100V~240V/DC 24V Electric drive Available
- ▶ Operated with a single motor for shelf lengths of up to 18.75meters.
- ▶ Switching is done manually or through the central system.

Advantages:

- ▶ Shorter pay back period, less than 1 year
- ▶ Can be retrofitted to existing refrigeration units.
- ▶ 5x12ft Night blinds will operate on one switch or separate switching.

Motorized Blinds

REF STORE Automatic Ecoview Sensored Blinds Save Energy Automatically!

Optimized for Convenience stores and Grocery Retail stores.


- By sensing human bodies, the Blind cover goes up when a customer approaches and comes down when a customer leaves.



- Energy saving with less electricity expense.
- Maintains low temperature by blocking the outflows.
- Especially helpful during the late night time when there are less customers.



Sensor with Receiver & Emitter



Ecoview Clean Blind



- Manual operation are also available with Emitter.
- Easy installation, Lower cost.




SAVINGS UP TO
40%

REF STORE.COM

3 YEARS WARRANTY !!




OPAL Model (Sheet: AL)




	2 feet	3 feet	4 feet	5 feet	6 feet
L-foot	2 feet	3 feet	4 feet	5 feet	6 feet
L(mm)	610 mm	913 mm	1218 mm	1524 mm	1829 mm
H(mm)	2000 mm	2000 mm	2000 mm	2000 mm	2000 mm

ISAL Model (Sheet: AL)




	2 feet	3 feet	4 feet	6 feet
L-foot	2 feet	3 feet	4 feet	6 feet
L(mm)	610 mm	913 mm	1218 mm	1829 mm
H(mm)	1600 mm	1600 mm	1600 mm	1600 mm

HOPAL Model (Sheet: AL)



	2 feet	3 feet	4 feet	5 feet	6 feet	8 feet
L-foot	2 feet	3 feet	4 feet	5 feet	6 feet	8 feet
L(mm)	610 mm	913 mm	1218 mm	1524 mm	1829 mm	2438 mm
H(mm)	2000 mm	2000 mm	2000 mm	2000 mm	2000 mm	2000 mm

HISAL Model (Sheet: AL)



	2 feet	3 feet	4 feet	5 feet	6 feet	8 feet
L-foot	2 feet	3 feet	4 feet	5 feet	6 feet	8 feet
L(mm)	610 mm	913 mm	1218 mm	1524 mm	1829 mm	2438 mm
H(mm)	2000 mm	2000 mm	2000 mm	2000 mm	2000 mm	2000 mm

www.refstore.com